SELF-EVALUATION





DISEASE CONTROL

PEST CONTROl

No clear impact of IPM adoption on weed control, in spite of the decrease in herbicides.

Farmers consider disease and pest control similar to better compared to neighbour farmers, whatever the level of IPM adoption. IPM is efficient for disease and pest control.





Most IPMWORKS farmers think they have similar or higher workloads, equipment costs, and gross margins than their neighbours, suggesting that IPM is cost-effective.

CONCLUSION

The IPMWORKS network of farmers in orchards displays a large range of practices, wih various levels of IPM adoption. The more IPM is adopted, the less pesticides are needed, . Further progress in IPM adoption can be done with the help of IPMWORKS hub coaches.



HORIZON 2 AND INNOVATION PROG MME UNDER GRAN

www.ipmworks.net

Nicolas Munier-Jolain (INRAE) colas.munier-jolain@inrae.fr



H2020IPMWORKS

ompany/ipmworks

PMWORKS

An EU-Wide farm network demonstrating and promoting costeffective IPM strategies

INTEGRATED PEST MANAGEMENT

Integrated Pest Management (IPM) is based on a diversity of pest management measures (prevention, non-chemical control, best practices for optimizing pesticide efficiency, etc.). These are combined at the farm level to enable reduced reliance on pesticides, and therefore a decrease in the exposure of the environment and people to pesticides. Rare pioneer farmers throughout Europe are testing such IPM strategies and are succeeding in achieving good outcomes with low pesticide inputs. However the majority of European farmers still rely heavily on pesticides, with major environmental and societal impacts, because most of them have not adopted a comprehensive, farm-level and holistic IPM strategy so far.

IPMWORKS

IPMWORKS - An EU-wide farm network demonstrating and promoting cost-effective IPM strategies - is a four-year project (2020-2024) financed by the Horizon 2020 Research and Innovation programme of the EU.

IPMWORKS is made up of a consortium of 31 partners from 16 European countries assembled with various types of organizations covering the following roles: Farmers organizations; Applied research, advisory and extension services; Academic research on social sciences; Academic research on agronomy (sensu lato) and environmental science and Training organizations. The project is coordinated by the French National Research Institute for Agriculture, Food and the Environment (INRAE).

DATASET ~~<u>.</u> TOTAL ORGANIC FARMS NUMBER OF FARMS PARTICIPANT COUNTRIES italy 5 15 Slovenia VERAGE ORCHARD TREE SPECIES AVERAGE EXPERIENCE SIZE OLIVE OF APPLE 3.65ha FARMERS 19

FARMERS' AWARENESS OF **IPM AND MOTIVATIONS**

Farmers' motivations and level of IPM adoption have been investigated through a survey, just after the farmers joined the network.

"IPM is a way to improve soil health", "I try to restrict my use of crop protection product", and "High Product Quality" is considered to be the most important statements informing about farmers' motivations for IPM.

Protecting the environment, natural resources, and biodiversity is a very important factor influencing farmers' decision to implement IPM.

PESTICIDE USE

	 Herbicides 	Fungicides_Chemical	Insecticides_Chemical	TFI_Other Pesticides
	Fungicides_Cupper Based Fungicides_Sulphur Based Insecticides_Natural			: Apples
	Olives			(Slovenia)
TFI	10	(ital)	()	
	8			
	6			
	4			
	2			
	0			

Treatment Frequency Index (TFI)

TFI is used as a metric of frequency and intensity of pesticide use.

The TFI was determined based on:

- the number of treatments
- average dose (% recommended dose for target pest)
- average % of treated area

TFI metric shows a large range of pesticide use across farms, that can be attributed to:

- Nature of crops
- Climatic conditions
- Level of IPM adoption



DECISION SUPPORT SYSTEM

A few farmers mentioned they were using Decision Support Systems (DSS) for making the decision fore fungicides or insecticides. Progress could be made on this area to avoid unnecessary treatments.

VARIETY CHOICE

Growing cultivars that, are resistant to disease is an option in apple orchards. In olive groves, adapting cultivars is not really an option.



BIOCONTROL

Biocontrol is the reduction of pest populations by natural enemies. More than 80% of IPMWORKS Olive groves are managed with biocontrol, with fruit camouflage with Kaoloin and insect mass traping as the main technical solutions. In apple orchards, insect mass trapping and mating confusion are used.

Biocontrol solutions are a major component of IPM strategies in orchards.

IPM INDEX

The survey informs about how far the various components of IPM are already implemented by IMPWORKS farmers in vineyards. Based on this information, we tested a new IPM Index (sum of scores summarising IPM practices: use of Decision Support Systems, resistant cultivars, cover crops, mowing, mulching, use of biocontrol solutions, mechanical weeding, protection of wildlife at the landscape scale...). The IPM Index ranges [0 - 84].



The range of IPM adoption varies across farms, and this explains part of the pesticide use.